



SAD-60 Series

Semi Automatic Door



NHN[®] SAD-60

Semi Automatic Door

Manual sliding door is opened by pedestrian then itself close the door automatically without power or battery. This device can install on all material of door such as glass, metal, wooden, etc. High quality with economic price cause it useful for many building projects. The semi auto door is backed up with 2 years guarantee.



1 - Opening



2- Self closing



Kit: Made in Japan



Features and specifications:

1- High efficiency with economic price

It able to carry door weight up to 60 kg and door width up to 1100 mm.



2- High quality of semi auto door

It has made in Japan kit which succeed for 500/000 test operation.



3- It work without power, battery and sensor

pedestrian open the door then close itself with mechanical spring.



5- compact size, beautiful design

Thickness and height of operator is only 61 and 111 millimeter.



4- Easy installation and adjustment

Simple design and friendly usage, created high level of satisfaction.




6- Primary door opening torque is very light

Aged people, children and handicapped people can open door easily.



7- It has stopper at the end of movement for necessary situation

If you want don't close the door, it has a part which can hold the door.



8- As option, it has stainless steel model to avoid corrosion

For high humidity place such as bathroom, you can use stainless steel kit.




9- As option, can add extra damper to avoid strike door on opening

If you have problem with some pedestrian who open the door powerfully, you can add more damper for avoid strike door at end of oppening.




Accessories :

NHN PPH




Stainless Steel pull handle

IRU




Stainless Steel U floor guide

FGFB



Stainless Steel glass hanger

Instalation guide :



KENWA

6th Floor, Marutake Honmachi
Building, Honmachi 1-6-18, Chuo-ku
Osaka 541-0053, Japan

Tel: +81-(0)6-6265-1130

Fax: +81-(0)6-6265-1132

<http://www.micomautodoor.com>

E-Mail: info@kenwa.co.jp

All sizes, photo's and drawings are subject to change without prior notice.